ELSEVIER

Brain Research 673 (1995) 357–359

BRAIN RESEARCH

# Author Index

Abe, K., see Chu, P.-j. (673) 233
Akil, H., see Badiani, A. (673) 13
Amaya, T., see Saito, S. (673) 93
Anastasijević, R., see Ljubisavljević, M. (673) 126
Arai, R., Jacobowitz, D.M. and Nagatsu, I.
Up-regulation of calretinin in the supraoptic nucleus of the rat after chronic salt loading (673) 339
Aswani, S.P., see Emmett, C.J. (673) 199
Avendaño, C., Roda, J.M., Carceller, F. and Díez-Tejedor, E.
Morphometric study of focal cerebral ischemia in rats: a stereological evaluation (673) 83
Azmitia, E.C., see Ueda, S. (673) 325

Badiani, A., Morano, M.I., Akil, H. and Robinson, T.E.
Circulating adrenal hormones are not necessary for the development of sensitization to the psychomotor activating effects of amphetamine (673) 13
Bentley, G.N. and Gent, J.P.
Neurokinin actions on substantia gelatinosa neurones in an adult longitudinal spinal cord preparation (673) 101
Bernstein, I.L., see Swank, M.W. (673) 251
Bertolotto, A., Manzardo, E., Iudicello, M., Lovisetto, C. and Riccio, A.
Disappearance of the *Vicia villosa*-positivity from the perineuronal net containing chondroitin proteoglycan after chondroitinase digestion (673) 344
Biello, S.M.
Enhanced photic phase shifting after treatment with antiserum to neuropeptide Y (673) 25
Boulanger, L., see Lefrançois, L. (673) 39
Bourguignon, J.-J., see Godbout, R. (673) 157
Bowery, N.G., see Britton, P. (673) 331
Britton, P., Whitton, P.S. and Bowery, N.G.
Effect of tetanus toxin on basal and evoked release of 5-hydroxytryptamine and dopamine in rat hippocampus in vivo (673) 331

Carceller, F., see Avendaño, C. (673) 83
Cervo, L. and Samanin, R.
Effects of dopaminergic and glutamatergic receptor antagonists on the acquisition and expression of cocaine conditioning place preference (673) 242
Chen, J.-y., see Yang, S.-w. (673) 170
Chiu, J.F., Mack, A.F. and Fernald, R.D.
Daily rhythm of cell proliferation in the teleost retina (673) 119
Chu, P.-j., Saito, H. and Abe, K.
Polyamines promote regeneration of injured axons of cultured rat hippocampal neurons (673) 233
Constantine, T., see Schor, N.F. (673) 175
Cools, A.R., see Prinssen, E.P.M. (673) 283
Crain, S.M., see Shen, K.-F. (673) 30
Curry, J., see Holliday, J. (673) 141
Curry, J.G., see Gruol, D.L. (673) 1

Dafny, N., see Yang, S.-w. (673) 170
De Juan, E., see Martínez, M. (673) 149
Díez-Tejedor, E., see Avendaño, C. (673) 83

Ellenbroek, B.A., see Prinssen, E.P.M. (673) 283
Emmett, C.J., Aswani, S.P., Stewart, G.R., Fairchild, D. and Johnson, R.M.
Dose–response comparison of recombinant human nerve growth factor and recombinant human basic fibroblast growth factor in the fimbria fornix model of acute cholinergic degeneration (673) 199

Faden, A.I., see Sun, F.-Y. (673) 133
Fairchild, D., see Emmett, C.J. (673) 199
Fan, P., Oz, M., Zhang, L. and Weight, F.F.
Effect of cocaine on the 5-$HT_3$ receptor-mediated ion current in *Xenopus* oocytes (673) 181
Fernald, R.D., see Chiu, J.F. (673) 119
Ferrándiz, M.L., see Martínez, M. (673) 149
Fiskum, G., see Hurt, K.J. (673) 226
Flanagan-Cato, L.M. and McEwen, B.S.
Pattern of Fos and Jun expression in the female rat forebrain after sexual behavior (673) 53
Flügge, G., see Fuchs, E. (673) 275
Fuchs, E., Uno, H. and Flügge, G.
Chronic psychosocial stress induces morphological alterations in hippocampal pyramidal neurons of the tree shrew (673) 275
Fujita, T., see Saito, S. (673) 93
Fukagawa, K., see Okumura, T. (673) 153
Fukumaki, Y., see Iwaki, T. (673) 47

Gaudreau, P., see Lefrançois, L. (673) 39
Gent, J.P., see Bentley, G.N. (673) 101
Gerstberger, R., see Jurzak, M. (673) 349
Godbout, R., Jelenic, P., Labrie, C., Schmitt, M. and Bourguignon, J.-J.
Effect of gamma-hydroxybutyrate and its antagonist NCS-382 on spontaneous cell firing in the prefrontal cortex of the rat (673) 157
Gonzalez-Alvear, G.M. and Werling, L.L.
Sigma receptor regulation of norepinephrine release from rat hippocampal slices (673) 61
Gruol, D.L. and Curry, J.G.
Calcium signals elicited by quisqualate in cultured Purkinje neurons show developmental changes in sensitivity to acute alcohol (673) 1
Gruol, D.L., see Holliday, J. (673) 141

Hernandez, T.D. and Warner, L.A.
Kindled seizures during a critical post-lesion period exert a lasting impact on behavioral recovery (673) 208
Hernanz, A., see Martínez, M. (673) 149
Héron, A., see Rigaud-Monnet, A.-S. (673) 297
Holliday, J., Parsons, K., Curry, J., Lee, S.Y. and Gruol, D.L.
Cerebellar granule neurons develop elevated calcium responses when treated with interleukin-6 in culture (673) 141
Hurt, K.J., Fiskum, G., Rosenthal, R.E. and Werling, L.L.
The role of L-type voltage dependent calcium channels in stimulated [$^3$H]norepinephrine release from canine hippocampal slices following global cerebral ischemia and reperfusion (673) 226

Ikarashi, Y., see Ishimaru, H. (673) 112
Ikeda, M., see Koizumi, S. (673) 75
Inoue, K., see Koizumi, S. (673) 75
Inoue, K., see Koizumi, S. (673) 75
Ishimaru, H., Takahashi, A., Ikarashi, Y. and Maruyama, Y.
Pentobarbital protects against CA1 pyramidal cell death but not dysfunction of

hippocampal cholinergic neurons following transient ischemia (673) 112
Iudicello, M., see Bertolotto, A. (673) 344
Iwaki, A., see Iwaki, T. (673) 47
Iwaki, T., Iwaki, A., Fukumaki, Y. and Tateishi, J.
αB-Crystallin in C6 glioma cells supports their survival in elevated extracellular $K^+$: the implication of a protective role of αB-crystallin accumulation in reactive glia (673) 47

Jacobowitz, D.M., see Arai, R. (673) 339
Jelenic, P., see Godbout, R. (673) 157
Johnson, R.M., see Emmett, C.J. (673) 199
Joseph, J.A., Villalobos-Molina, R., Yamagami, K., Roth, G.S. and Kelly, J.
Age-specific alterations in muscarinic stimulation of $K^+$-evoked dopamine release from striatal slices by cholesterol and *S*-adenosyl-L-methionine (673) 185
Jurzak, M., Müller, A.R. and Gerstberger, R.
AVP-fragment peptides induce $Ca^{2+}$ transients in cells cultured from rat circumventricular organs (673) 349

Kameyama, T., see Ukai, M. (673) 335
Kawata, M., see Ueda, S. (673) 325
Kelly, J., see Joseph, J.A. (673) 185
Khawaja, X.
Quantitative autoradiographic characterisation of the binding of [$^3$H]WAY-100635, a selective 5-$HT_{1A}$ receptor antagonist (673) 217
Kicliter, E., see Lugo, N. (673) 161
Kitani, Y., see Saito, S. (673) 93
Koizumi, S., Ikeda, M., Inoue, K., Nakazawa, K. and Inoue, K.
Enhancement by zinc of ATP-evoked dopamine release from rat pheochromocytoma PC12 cells (673) 75

Labrie, C., see Godbout, R. (673) 157
Lee, S.Y., see Holliday, J. (673) 141
Lefrançois, L., Boulanger, L. and Gaudreau, P.
Effects of aging on pituitary growth hormone-releasing factor receptor binding sites: in vitro mimicry by guanyl nucleotides and reducing agents (673) 39
Li, H.-B., see Ni, J.-W. (673) 290
Ljubisavljević, M., Anastasijević, R. and Trifunjagić, D.
Changes in fusimotor discharge rate provoked by isotonic fatiguing muscle contractions in decerebrate cats (673) 126
Lombardini, J.B.
Paradoxical stimulatory effect of the kinase inhibitor chelerythrine on the phosphorylation of a ~20 K $M_r$ protein present in the mitochondrial fraction of rat retina (673) 194
Lovisetto, C., see Bertolotto, A. (673) 344
Lugo, N. and Kicliter, E.
Do retinal ganglion cells project bilaterally in ground squirrels? (673) 161

Mack, A.F., see Chiu, J.F. (673) 119
Manzardo, E., see Bertolotto, A. (673) 344
Martínez, M., Hernanz, A., Ferrándiz, M.L., De Juan, E., Sevila, I., Martínez, N. and Miquel, J.
Glucose deprivation increases aspartic acid release from synaptosomes of aged mice (673) 149
Martínez, N., see Martínez, M. (673) 149
Maruyama, Y., see Ishimaru, H. (673) 112
Matsumoto, K., see Ni, J.-W. (673) 290
Matsumoto, Y., see Ueda, S. (673) 325
McEwen, B.S., see Flanagan-Cato, L.M. (673) 53
McGinty, J.F., see Wang, J.Q. (673) 262
Mercier, A.J., see Noronha, K.F. (673) 70
Miquel, J., see Martínez, M. (673) 149
Morano, M.I., see Badiani, A. (673) 13
Morita, T., see Saito, S. (673) 93
Morrow, B.A., Taylor, J.R. and Roth, R.H.
R-(+)-HA-966, an antagonist for the glycine/NMDA receptor, prevents locomotor sensitization to repeated cocaine exposures (673) 165
Müller, A.R., see Jurzak, M. (673) 349
Murakami, Y., see Ni, J.-W. (673) 290

Nagatsu, I., see Arai, R. (673) 339
Nakazawa, K., see Koizumi, S. (673) 75
Ni, J.-W., Matsumoto, K., Li, H.-B., Murakami, Y. and Watanabe, H.
Neuronal damage and decrease of central acetylcholine level following permanent occlusion of bilateral common carotid arteries in rat (673) 290
Nishihara, F., see Saito, S. (673) 93
Nisimura, A., see Ueda, S. (673) 325
Noel, M.B. and Wise, R.A.
Ventral tegmental injections of a selective μ or δ opioid enhance feeding in food-deprived rats (673) 304
Noronha, K.F. and Mercier, A.J.
A role for calcium/calmodulin-dependent protein kinase in mediating synaptic modulation by a neuropeptide (673) 70
Nylander, K.D., see Schor, N.F. (673) 175

Ohashi, K., see Ukai, M. (673) 335
Okumura, T., Taylor, I.L., Fukagawa, K., Tso, P. and Pappas, T.N.
Apolipoprotein A-IV acts centrally in the brain to reduce the severity of gastric ulceration in the rat (673) 153
Oz, M., see Fan, P. (673) 181

Pappas, T.N., see Okumura, T. (673) 153
Parsons, K., see Holliday, J. (673) 141
Pinard, E., see Rigaud-Monnet, A.-S. (673) 297
Prinssen, E.P.M., Ellenbroek, B.A., Stamatovic, B. and Cools, A.R.
Role of striatal dopamine $D_2$ receptors in the paw test, an animal model for the therapeutic efficacy and extrapyramidal side effects of neuroleptic drugs (673) 283

Qiao, J.-t., see Yang, S.-w. (673) 170

Riccio, A., see Bertolotto, A. (673) 344
Rigaud-Monnet, A.-S., Héron, A., Seylaz, J. and Pinard, E.
Effect of inhibiting NO synthesis on hippocampal extracellular glutamate concentration in seizures induced by kainic acid (673) 297
Robinson, T.E., see Badiani, A. (673) 13
Roda, J.M., see Avendaño, C. (673) 83
Rosenthal, R.E., see Hurt, K.J. (673) 226
Roth, G.S., see Joseph, J.A. (673) 185
Roth, R.H., see Morrow, B.A. (673) 165
Ruigrok, T.J.H., see Teune, T.M. (673) 313

Saitô, H., see Chu, P.-j. (673) 233
Saitô, S., Yoshikawa, D., Nishihara, F., Morita, T., Kitani, Y., Amaya, T. and Fujita, T.
The cerebral hemodynamic response to electrically induced seizures in man (673) 93
Samanin, R., see Cervo, L. (673) 242
Schafe, G.E., see Swank, M.W. (673) 251
Schmitt, M., see Godbout, R. (673) 157
Schor, N.F., Nylander, K.D., Constantine, T. and Schwartz, M.C.
G-protein expression during enediyne-induced neurite outgrowth in neuroblastoma (673) 175
Schwartz, M.C., see Schor, N.F. (673) 175
Sevila, I., see Martínez, M. (673) 149
Seylaz, J., see Rigaud-Monnet, A.-S. (673) 297
Shen, K.-F. and Crain, S.M.
Specific N- or C-terminus modified dynorphin and β-endorphin peptides can selectively block excitatory opioid receptor functions in sensory neurons and unmask potent inhibitory effects of opioid agonists (673) 30
Shibata, S., Shindou, T., Tominaga, K. and Watanabe, S.
Calcium channel blockers improve hypoxia/hypoglycemia-induced impairment of rat hippocampal 2-deoxyglucose uptake in vitro after ethanol withdrawal (673) 320
Shindou, T., see Shibata, S. (673) 320
Shinkai, N., see Ukai, M. (673) 335
Stamatovic, B., see Prinssen, E.P.M. (673) 283
Stewart, G.R., see Emmett, C.J. (673) 199
Sun, F.-Y. and Faden, A.I.
Neuroprotective effects of 619C89, a use-dependent sodium channel blocker, in rat traumatic brain injury (673) 133
Swank, M.W., Schafe, G.E. and Bernstein, I.L.
c-Fos induction in response to taste stimuli previously paired with amphetamine or LiCl during taste aversion learning (673) 251

Takahashi, A., see Ishimaru, H. (673) 112
Tateishi, J., see Iwaki, T. (673) 47

Taylor, I.L., see Okumura, T. (673) 153
Taylor, J.R., see Morrow, B.A. (673) 165
Teune, T.M., Van der Burg, J. and Ruigrok, T.J.H.
Cerebellar projections to the red nucleus and inferior olive originate from separate populations of neurons in the rat: a non-fluorescent double labeling study (673) 313
Tominaga, K., see Shibata, S. (673) 320
Trifunjagić, D., see Ljubisavljević, M. (673) 126
Tso, P., see Okumura, T. (673) 153

Ueda, S., Matsumoto, Y., Nisimura, A., Azmitia, E.C. and Kawata, M.
Role of neuropeptide Y projection on the development of serotonergic innervation in the suprachiasmatic nucleus of the rat, shown by triple intraocular grafts (673) 325
Ukai, M., Shinkai, N., Ohashi, K. and Kameyama, T.
Substance P markedly ameliorates scopolamine-induced impairment of spontaneous alternation performance in the mouse (673) 335
Uno, H., see Fuchs, E. (673) 275

Van der Burg, J., see Teune, T.M. (673) 313
Villalobos-Molina, R., see Joseph, J.A. (673) 185

Wang, J.Q. and McGinty, J.F.
Alterations in striatal zif/268, preprodynorphin and preproenkephalin mRNA expression induced by repeated amphetamine administration in rats (673) 262
Warner, L.A., see Hernandez, T.D. (673) 208
Watanabe, H., see Ni, J.-W. (673) 290
Watanabe, S., see Shibata, S. (673) 320
Weight, F.F., see Fan, P. (673) 181
Werling, L.L., see Gonzalez-Alvear, G.M. (673) 61
Werling, L.L., see Hurt, K.J. (673) 226
Whitton, P.S., see Britton, P. (673) 331
Wise, R.A., see Noel, M.B. (673) 304

Xie, Y.-f., see Yang, S.-w. (673) 170

Yamagami, K., see Joseph, J.A. (673) 185
Yang, S.-w., Chen, J.-y., Zhang, Z.-h., Xie, Y.-f., Qiao, J.-t. and Dafny, N.
Adenosine and opiate-like substances mediates antinociception at the spinal cord (673) 170
Yoshikawa, D., see Saito, S. (673) 93

Zhang, L., see Fan, P. (673) 181
Zhang, Z.-h., see Yang, S.-w. (673) 170